

A/\$

Express Mailing Label No: EM504395452US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: W. Lincoln Bouve et al.
Serial No.: To be Assigned
Filed: Herewith
Title: SYSTEM AND METHODS FOR REMOTELY
ACCESSING A SELECTED GROUP OF ITEMS OF
INTEREST FROM A DATABASE

Group No.:
Examiner:
Attorney Docket: CVX-001CN
Date: August 28, 1997

FILING UNDER 37 C.F.R. §1.60

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

Dear Sir:

This is a request for filing a continuing application under 37 C.F.R. §1.60 of pending prior application Serial No. **08/371,425**, filed on **January 11, 1995**, of **W. Lincoln Bouve, William T. Semple, and Steven W. Oxman** for **System And Methods For Remotely Accessing A Selected Group Of Items Of Interest From A Database**.

Enclosed is a copy of prior application Serial No. **08/371,425**.

I hereby verify that the attached papers are a true copy of what is shown in my records to be the above-identified prior application, including the oath or declaration as originally filed.

The copy of the papers of the prior application as filed which are attached are as follows:

- 23 pages of specification;
- 23 pages of Appendix A
- 6 pages of claims;
- 1 page of abstract;
- 15 sheets of informal drawings;
- 2 pages of Verified Statement; and
- 8 pages of declaration and power of attorney.

jc408 U.S. PTO
08/28/97

20250828 11:00:00

Cancel in this application original claims 1-37 of the prior application before calculating the filing fee.

A preliminary amendment is enclosed.

The filing fee is calculated below:

CLAIMS AS FILED

Number Filed	Number Extra	Rate	Basic Fee \$770.00
<hr/>			
Total Claims 37 - 20 = 17	X	\$22.00	\$374.00
Independent Claims 3 - 3 = -0	X	\$80.00	\$ 0.00
Multiple Dependent Claims	+	\$260.00	\$ 0.00
Filing Fee Calculation			<u>\$1,144.00</u>

A Verified Statement Claiming Small Entity Status
has been filed in the parent application and such
status is still proper and desired
(37 C.F.R. §1.28(a)).

Filing Fee (50% of above) \$572.00

A check in the amount of \$572.00 is enclosed. The Commissioner is authorized to charge any additional fees which may be required, or credit any overpayment to Deposit Account No. 12-0448.

With respect to the prior copending U.S. application from which this application claims benefit under 35 U.S.C. §120, the inventors in this application and for all the claims in this application are the same.

The prior application is assigned to Civix Corporation, Reel 8306/Frame 0132.

The power of attorney in the prior application is to Curtis A. Vock, Reg. No. 38,356.

The power appears in the prior application.


Address all future communications to:

Curtis A. Vock, Esq.
LAPPIN & KUSMER LLP
200 State Street
Boston, MA 02109

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issuing thereon.

Respectfully,

LAPPIN & KUSMER LLP



Curtis A. Vock
Registration No. 38,356
Attorney for Applicants

200 State Street
Boston, MA 02109
(617) 330-1300

Date: 28 August 1997

In connection with the foregoing matter, please charge any additional fees which may be due, or credit any overpayment, to Deposit Account Number 12-0448. A duplicate copy of this letter is provided for this purpose.


Lappin & Kusmer LLP
Two Hundred State Street
Boston, MA 02109
Telephone: (617) 330-1300
Facsimile: (617) 330-1311

CERTIFICATE OF MAILING

"Express Mail" Mailing Label Number EM504395452US Date of Deposit August 28, 1997

I hereby certify that this paper or fee is being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 CFR 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents, Washington, DC 20231.

Mitchell Gumbs
(Person Mailing)


(Signature)

Express Mailing Label No: EM504395452US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of: W. Lincoln Bouve et al.
Serial No.: To be Assigned
Filed: Herewith
Title: SYSTEM AND METHODS FOR REMOTELY
ACCESSING A SELECTED GROUP OF ITEMS OF
INTEREST FROM A DATABASE

Group No.:
Examiner:
Attorney Docket: CVX-001CN
Date: August 28, 1997

CERTIFICATION UNDER 37 CFR §1.10

I hereby certify that this communication and the documents referred to as attached herein are being deposited with the United States Postal on this date August 28, 1997 in an envelope as "Express Mail Post Office to Addressee" service under 37 CFR 1.10, Mailing Label Number EM504395452US addressed to the: Assistant Commissioner of Patents, Washington, D.C. 20231.

Mitchell Gumbs

(type of print name of person mailing paper)



(Signature of person mailing paper)

BOX PATENT APPLICATION
Assistant Commissioner for Patents
Washington, D.C. 20231

PRELIMINARY AMENDMENT

Dear Sir:

IN THE SPECIFICATION:

Please amend the specification by adding the following before the first paragraph:

--Related Application

This is a continuation of U.S. Application Serial No. 08/371,425 (Attorney Docket No. CVXV-001), filed on January 11, 1995.--

IN THE CLAIMS:

Please delete original claims 1-37 and insert the following new claims 38-74:

38. A method for mapping items of interest relative to a geo-defined location, comprising the steps of:

specifying the geo-defined location at a port; specifying a category associated with the items of interest at the port; communicating the location and the category to a database connected, datawise, to the port; and receiving, at the port, information defining geographic coordinates of the items of interest.

39. A method according to claim 38, further comprising the step of formatting the information into a map for display to a user of the port, the map showing the items of interest relative to the location.

40. A method according to claim 39, wherein the step of communicating the location and the category to the database further comprises the step of communicating a geographic vicinity to the database, the vicinity specifying a geographic extent for which items of interest are mapped relative to the location, and wherein the step of formatting the information into a map comprises the step of displaying the vicinity and the items of interest within the vicinity.

41. A method according to claim 40, further comprising the steps of specifying, at the port, a shape of the geographic extent and of displaying the map in the specified shape.

42. A method according to claim 38, wherein the step of communicating the location and the category comprises the step of generating a request signal to the database.

43. A method according to claim 38, wherein the step of communicating the location and the category comprises the step of utilizing a communication link selected from the group consisting of: a telephone link, a satellite link, a radio-frequency link, an infra-red link, an internet link, a facsimile link, a fiber-optic link, a coaxial cable link, a cellular network, a microwave link, an interactive TV communication link, an airphone link, a modem link, and a television link.

44. A method according to claim 38, further comprising the step of generating, at the database, the information, the step of generating comprising utilizing one of a personal computer, a mainframe, a work-station, a mini-computer, and a digital data processor.

45. A method according to claim 38, wherein the step of communicating the location and the category to the database further comprises the step of communicating a geographic vicinity to the database, the vicinity specifying a geographic extent for which items of interest are mapped relative to the location.

46. A method according to claim 45, wherein the step of communicating comprises the step of utilizing one of the following communication links: a television, a telephone, a facsimile, an audible speaker, and a display.

47. A method according to claim 38, wherein the steps of specifying comprises utilizing a user interface selected from the group of television interface, facsimile interface, keyboard, mouse and computer interface.

48. A method according to claim 38, further comprising the step of generating the information at the database, the information including street and landmark information.

49. A method according to claim 38, wherein the step of specifying the location comprises the step of utilizing a GPS receiver to specify a location of the user of the port.

50. A method according to claim 38, further comprising the step of requesting, at the port, additional detail about at least one of the items of interest, and further comprising the step of transmitting, from the database, the additional detail.

51. A method according to claim 38, wherein the step of transmitting additional detail comprises transmitting multimedia information including at least one of video, prerecorded music, advertising information, and digital pictures.

52. A method according to claim 38, further comprising the step of communicating advertising information to users of the port in response to the database receiving the category.
53. A method according to claim 38, further comprising the step of arranging the information hierarchically within the database.
54. A method according to claim 38, further comprising the steps of specifying one or more additional categories at the port, of communicating the additional categories to the database, and receiving, at the port, additional information defining geographic coordinates of items of interest in the additional categories.
55. A method according to claim 38, wherein the step of specifying the location comprises the step of utilizing a current location of the user of the port as the location.
56. A method according to claim 38, further comprising the step of updating the database, from time to time, so as to maintain current information within the database.
57. A method according to claim 38, further comprising the step of displaying the information on a display for a user of the port, the display being selected from one of the following: CRT, LCD, LED array, and mixtures thereof.

58. A method according to claim 38, wherein the step of communicating the information comprises the step of utilizing one of a facsimile, a printer, and a voice communication synthesizer.

59. A method according to claim 38, further comprising the step of providing, at the port, a menu of categories wherein a user of the port can specify the category.

60. A method according to claim 38, further comprising the step of providing, at the port, a menu of locations wherein a user of the port can specify the location.

61. A method according to claim 60, further comprising the step of providing a location in a first mode corresponding to a current location of the user, and of providing a location in a second mode corresponding to a remote location relative to the user.

62. A method according to claim 38, further comprising the step of displaying the information within a map of at least a portion of one of the following: a country, a state, and a city.

63. A method according to claim 38, further comprising the step of prompting a user at the port for additional information in response to a category request that identifies a number of the items of interest.

64. A method according to claim 38, wherein the step of specifying the category comprises utilizing a voice generation system to prompt a user's entry of the category into the port.

65. A method according to claim 38, wherein the step of specifying the category comprises utilizing a voice generation system to prompt a user's entry of the category into the port.

66. A method according to claim 38, wherein the step of receiving comprises utilizing a voice generation system to describe items of interest to a user of the port.

67. A method according to claim 38, further comprising the step of updating the database from the port so as to maintain current information within the database.

68. A method of collating geo-defined data for specifying items of interest relative to a user's location, comprising the steps of:

determining the location of the user, the location defining the user geographically within a geographic vicinity;

providing a port with a user interface;

specifying, through the port, the location and at least one category to a database connected via a communication link to the port; and

providing information through the link and the port to the user, the information geographically defining the items of interest relative to the location of the user.

69. A method according to claim 68, wherein the step of determining the location comprises utilizing a GPS receiver.

70. Database methodology for providing geo-defined information to a user connected to a database, comprising the steps of:

receiving, at the database, information including a category of items of interest and positional coordinates of a location defining a vicinity;

determining items of interest that are within the category and that are located within the vicinity;

transmitting identifying information about the items of information to the user, the identifying information specifying the items of interest with a name and a geographic location relative to the positional coordinates.

71. Database methodology according to claim 70, further comprising the steps of displaying the vicinity as a map and displaying the identifying information on the map.

72. Database methodology according to claim 70, further comprising the step of transmitting the positional coordinates and the location through a port connected to the database, the port having a user interface which permits entry of information by the user.

73. Database methodology according to claim 70, wherein the step of receiving comprises the step of utilizing one or more of a modem and a fax machine.


74. Database methodology according to claim 73, wherein the step of receiving comprises the step of utilizing a session manager for responding to requests at the database and for forwarding data requests and other information to servers connected with the database..

No additional fees are deemed due in this matter. However, the Commissioner is hereby authorized to charge any fees which may be due in this matter from deposit account 12-0448.

Respectfully submitted,

Lappin & Kusmer LLP
200 State Street
Boston, MA 02109
(617-330-1301)

Dated: August 28, 1997


Curtis A. Vock
Reg. No. 38,356
Attorney for Applicants

APPLICATION
FOR
UNITED STATES LETTERS PATENT

SPECIFICATION

TO ALL WHOM IT MAY CONCERN:

Be it known that we, **W. Lincoln Bouve, William T. Semple and Steven W. Oxman**, all citizens of the United States of America, have invented

**SYSTEM AND METHODS FOR REMOTELY ACCESSING A SELECTED
GROUP OF ITEMS OF INTEREST FROM A DATABASE**

of which the following is a specification.

A portion of the disclosure of this patent document contains material which is subject to copyright protection. The copyright owner has no objection to the facsimile reproduction by anyone of the patent document or the patent disclosure, as it appears in the Patent and Trademark Office patent file or records, but otherwise reserves all copyright rights whatsoever.

Background of the Invention

Electronic directories for identifying selected subscribers within a city are known in the prior art. For example, U.S. Patent No. 4,974,170 describes one system which includes a fixed kiosk with an internal memory for storing locations such as businesses and historical sites within a predetermined distance from the kiosk. An input panel on the kiosk provides access to the data within the memory, and a map is generated by the system thereby locating the selected information from the kiosk.

However, such a system is inflexible. The map generated by the system is predefined; and thus the user cannot access or select information about businesses and historical sites outside of the predefined map. A user of the system must also know the exact location of the kiosk in order to use the system. Tourists and business travelers to the city are unlikely to know of the kiosk; and thus the kiosk system is of little use to such users. Further, a user must be physically present at the kiosk in order to access the information about the businesses and/or sites in the surrounding area.

In addition, the information stored within the kiosk's memory must be manually updated. This requires a series of cumbersome steps - including the physical acts of loading and downloading to the memory at the kiosk - to update the system in the event that information about a selected business changes, e.g., the business closes.

It is, accordingly, an object of the invention to provide systems and methods which reduce or remove the aforementioned difficulties.

It is yet another object of the invention to provide a system for remotely accessing selective items of interest from a database; and for displaying a geographic vicinity of the items of interest to the user selectively and at the remote location.

Still another object of the invention is to provide a system for remotely providing information identifying locations of selected items of interest at a selected destination location.

These and other objects will be apparent in the specification which follows.

Summary of the Invention

As used herein, "items of interest" means services, products, geographic sites, architectural sites, stores, restaurants, public services, and other items which a user of the invention may wish to locate. "Port," "remote access port," "terminal," or "remote access terminal" are used interchangeably to denote a terminal, e.g., a personal computer with modem, from which a user of the invention can access the database storing the information about the items of interest. "Remote database" or "database" are used herein to denote a database, e.g., a client server, which stores information for access by a user of the invention from a port. "Communication link" is used to denote means, including for example a telephone line, for communicating between the database and the port. "Geographic vicinity," and "map" are used to denote a geographic region which includes and surrounds selected items of interest.

In one aspect, the invention provides a system for remotely determining the position of a selected category of items of interest in a selected geographic vicinity from a database. A database stores information about a plurality of items of interest, including, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category. A communications link facilitates communications between a user of the system and the database. The system also provides for transmitting a portion of the information in the database to a user via the link upon receipt of a request signal representative of a selected category and geographic vicinity. Preferably, that transmitted portion of the information includes identification of a position for the items of interest within the selected category and geographic vicinity.

The system further provides a port for remotely accessing the portion of information via the link. Specifically, the port generates the request signal in response to inputs by a user of the system; that signal being representative of the selected category and geographic vicinity. A user interface at the port accepts the inputs and communicates the position of each of the items of interest in the selected category and geographic vicinity to the user.

In accord with other aspects of the invention, the communications link can include several technologies, including a telephone link, satellite link, radio-frequency link, infra-red link, internet link, facsimile link, fiber-optic link, coaxial cable link and television link. The database is, typically, a personal computer, mainframe, workstation, mini-computer, or digital data processor. To communicate the information to a user, the user interface can include a television, telephone, facsimile, audible speaker, and/or personal computer display. To accept user inputs at the port, the user interface can further include a television interface, telephone interface, facsimile interface, and/or a personal computer interface.

Preferably, the geographic vicinity includes certain spatial detail of the items of interest. For example, the geographic vicinity can include a map of the items of interest in the selected category, as well as street and landmark information displayed relative to the user's position at the remote port. As such, the set of positional coordinates generally identifies either (i) a location of a user of the system, or (ii) a destination location within the geographic vicinity.

In certain aspects of the invention, the information within the database further includes additional detail about at least one of the items of interest. Such a feature is advantageous in that, once the port displays the geographic vicinity with the items of interest, a user can thereafter select further additional detail about one or more of the items of interest. In this manner, for example, an item of interest such as a restaurant can display a picture of the interior of the restaurant to the user. The additional detail can include other multimedia information, such as video, prerecorded music, and digital pictures.

In still another aspect, the invention also communicates at least one advertisement associated with at least one of the items of interest to the user. As such, certain advertisers that are connected with the selected category of items of interest can promote a name or business.

In one aspect of the invention, the information within the database is arranged hierarchically. In this aspect, there are a plurality of discrete geographic vicinities (each set of positional coordinates corresponding to one discrete location within the geographic vicinity). The system thus provides for hierarchically selecting any of the discrete vicinities from the port in a hierarchical manner.

In still another aspect of the invention, database apparatus is provided for storing information about a plurality of items of interest. As above, that information includes, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category. A communications link provides for communicating between a user of the database apparatus and a remote port. The database apparatus further provides for transmitting a portion of the information to a user via the link upon receipt of a request signal representative of a geographic vicinity and a selected category of the items of interest. That transmitted portion of the information includes an identification of a position for the items of interest within the selected category and geographic vicinity.

The invention also provides, in another aspect, a remote access port for remotely accessing a selected category of items of interest in a selected geographic vicinity from a database such as described above. The port includes means for generating a request signal representative of a selected category and a selected geographic vicinity of the items of interest in response to inputs by a user of the port. A user interface accepts the inputs and indicates the position of each of the items of interest within the selected category and geographic vicinity.

In another aspect, the information includes additional detail for at least one of the items of interest, and the port further includes means for (i) generating a signal representative of a selection of at least one of the items of interest, and (ii) communicating the additional detail to the user.

The invention also provides a method for remotely determining the position of a selected category of items of interest in a selected geographic vicinity from a database, comprising the steps of: (i) storing information about a plurality of items of interest in the database, the information including, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category; (ii) accessing the database from a remote location and over a communication link; (iii) communicating, from the remote location, information representative of a selected category and a selected geographic vicinity to the database; and (iv) transmitting a portion of the information from the database and to the user over the link, the information including, at least, identification of a position for the items of interest within the selected category and geographic vicinity.

The invention is next described further in connection with preferred embodiments, and it will be apparent that various additions, subtractions, and modifications can be made by those skilled in the art without departing from the scope of the invention.

Brief Description of the Illustrated Embodiments

A more complete understanding of the invention may be obtained by reference to the drawings, in which:

Figure 1 schematically illustrates a system constructed according to the invention;

Figure 2 shows a typical graphical illustration locating items of interest and which can be displayed to a user of the system of Figure 1;

Figure 3 shows a user interface display of various world-wide countries providing selectable locations according to the invention and which can be displayed to a user of the system of Figure 1;

Figure 3A shows a user interface display of a map of the United States providing selectable locations according to the invention and which can be displayed to a user of the system of Figure 1;

Figure 3B shows a user interface display of a map of California providing selectable locations according to the invention and which can be displayed to a user of the system of Figure 1;

Figure 3C shows a user interface display of various selectable locations within greater Los Angeles according to the invention and which can be displayed to a user of the system of Figure 1;

Figure 4 illustrates a top level process flow, according to the invention, for providing information to a user at the remote port of Figure 1;

Figure 4A shows a hierarchical structure of geographical vacinities, according to the invention;

Figure 5 shows a typical menu of categories of items of interest which are selectable by a user of the system of Figure 1;

Figures 6A and 6B illustrate various components and methods, according to the invention, for constructing a communications link suitable for use in the system of Figure 1;

Figures 7A and 7B illustrate various remote port display technologies, according to the invention, which are suitable for use within the remote port of the system of Figure 1;

Figure 8 illustrates a system constructed according to the invention and which includes a mobile remote port for accessing the locations of the selected items of interest;

Figure 9 schematically illustrates system architecture, constructed according to the invention, which forms a database suitable for use as the database of Figure 1, and which services both phone and fax information and internal administrative data;

Figure 10 shows one system architecture according to the invention, and which includes a host database and a remote port;

Figure 11 illustrates process flow and system architecture for interfacing between user inputs and the database, in accord with the invention; and

Figure 12 shows one representative display or print-out, according to the invention, which includes an advertising field associated with the items of interest.

Detailed Description

Figure 1 illustrates a system 10 constructed according to the invention. A database 12 stores information about the items of interest, including information about locating the items of interest. The database 12 includes an information controller 14 which communicates with a remote access port 16 via a communications link 18 and which controls the access and flow of information into and out of the database 12. The information within the database 12 is accessible by the remote access port 16 upon request by a user of the port 16. Accordingly, the port 16 preferably includes a user interface section 20 which provides a graphical display 22, keyboard 24, and mouse tracker 25 (for pointing and clicking on selected display items within the display 22).

Specifically, the information within the database 12 includes, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category. Preferably, this information includes a graphical representation so that a user can easily interpret the information. Figure 2 shows one exemplary display 30 of information locating computer products in downtown Boston, Massachusetts. Accordingly, the associated category in this example is "computer products," and, in the illustrated display 30, the geographic vicinity includes the selected items of interest,

including (i) the two computer stores 32, 34 at, respectively, 52 Congress Street and 101 Federal Street; and (ii) that area which is displayed within the display 30 and which surrounds the items of interest, such as that area displayed between the streets of High Street and State Street.

The positional coordinates, as part of the selected information, operate to locate the geographic vicinity. Briefly, the positional coordinates locate one location within the geographic vicinity - such as the center of the vicinity - so that items of interest can be determined relative to the positional coordinates and within the geographic vicinity. In addition, the geographic vicinity is preferably a rectangle of information, with North situated upwards.

In one preferred aspect of the invention, the display 30 is centered relative to the location of the user (as such, the positional coordinates of the information are set to the user's present position). For example, if the hotel 36 at 25 Franklin Street has a port 16 therein, a user of the invention can (i) access that particular port and hence the information within the database 12, and (ii) display the items of interest relative to the user's current location, i.e., at the hotel 36. Accordingly, in this embodiment, the display 30 is generated with the hotel 36 at the center of the display - corresponding to the positional coordinates of 25 Franklin Street - and the selected items of interest in the associated category are displayed on streets relative to the hotel 36. In this fashion, a user can easily walk or drive to the items of interest after leaving the hotel 36. Such a feature also gives the "appearance" to the user that the hotel 36 is at the center of activity, a desirable marketing feature for the invention.

With further reference to Figure 1, the controller 14 preferably includes a display 40 and a keyboard 42 so that an operator of the system 10 can add and modify the information within the database 12. This is especially useful because information about the items of interest changes regularly; and thus the information within the database 12 is preferably updated on a regular basis so that users of the system 12 receive accurate information. For example, in a typical commercial location such as illustrated in Figure 2, new retail stores open and existing retail stores close throughout the year. The

invention thus provides for updating information within the database 12, such as through the control of a system operator typing commands at the keyboard 42.

Alternatively, the system 10 provides for remotely updating the database 12 with new information via any of the ports 16 or via a remote computer with a modem, described in more detail in connection with Figure 6A. Specifically, the controller 14 provides access security which allows only authorized access for modification of the database 12. As such, a system administrator at a remote port 16 can download information to the database, or modify existing information within the database, as needed and without physically operating the keyboard 42.

The communications link 18 of the invention can take many forms. It is generally impractical to "hard-wire" each remote access port 16 to the database 12; so the form of the communications link 18 generally includes existing communication networks, such as one or more of the following: telephone lines, fiber-optic cabling, satellite communications, cellular communications, radio and microwave-frequency communicators, infra-red communicators, the facsimile mechanism, airphones, modems, the internet, co-axial cabling, television including interactive TV communications, and the like. These communication networks and subsystems are readily known to those skilled in the art without further reference hereto. Nevertheless, Figures 6A-6B illustrate representative communication links, according to the invention, which comprise one or more of these communication networks.

The displays 22 and 40 of Figure 1 include those displays known to those skilled in the art, including the cathode-ray-tube (CRT), Liquid Crystal Display (LCD), and an array of Light Emitting Diodes (LEDs). However, the display 22 can also take the form of a paper or voice communication port, such as a facsimile output (hard-copy), printer, a voice communication synthesizer with automated digitized voice responses, a voice-driven menu systems, or as other devices capable of rendering digitized or analogue output signals. Figures 7A and 7B below illustrate some of these alternative forms of the display 22.

The remote access port 16 is generally provided at locations of public access in a city. Accordingly, the invention supports a nearly unlimited number of ports 16 that are connected for communication with the database 12, each of the ports being connected to the database 12 such as shown in Figure 1 and such as described in more detail below. For example, the port 16 of the invention is appropriately placed in one or more hotels, restaurants, and public facilities (such as a train station) in the city. In Boston, Massachusetts, therefore, the port 16 of the invention would ideally be accessible at several different locations, particularly at busy locations, such as at (i) North and South Stations, (ii) Logan Airport and at each of the several airport terminals, (iii) within several (or many, if not all) of Boston's hotels and restaurants, and (iv) at car rental locations.

The invention provides, generally, two modes of operation for a user accessing the port 16. In the first mode of operation, the user within the desired geographic vicinity accesses the database through the port 16 for information about the items of interest located near-by. This mode was described in connection with Figure 2. That is, when the user is located within the geographic vicinity, e.g., at the hotel 36, a user can locate any of the items of interest relative to the hotel 36 and display items of interest in the associated category, e.g., computer products, through a street map connecting streets to and from the hotel 36. In this manner, as described above, a user can easily locate the items of interest from his or her present location, which determines the positional coordinates of the geographic vicinity.

In one embodiment of the invention, a user accesses this first mode of operation by selecting the "LOCAL INFO" key 44 on the keyboard 42, Figure 1. Upon selection, the system 10 provides information, such as a graphical display shown in Figure 2, at the port 16 to locate items of interest within the geographic vicinity of the user and relative to the user's current location. The scope of the geographic vicinity is generally within walking distance.

In the second mode of operation, a user is nowhere near the desired geographic vicinity but nevertheless desires information about items of interest at a destination

location (for example, it is generally impractical to display all items of interest within a one hundred mile radius; rather it is more convenient to display locations of items of interest in a format that is relative to his desired destination). In one embodiment of the invention, such a user selects the "REMOTE INFO" key 48 to access the desired set of destination position coordinates. For example, a user who is leaving Boston Logan Airport for Los Angeles International Airport (LAX) can access a port 16 at Logan and display, selectively, items of interest in an associated category relative to LAX. For example, if a user of the invention wishes to locate music stores upon arrival in Los Angeles, she can command the display of music stores relative to LAX so that they are easily located.

In order to command the display of items of interest at the destination location, and in accord with one embodiment of the invention, a user first selects "USA" at the port 16 via the keyboard 24, then the user sequentially selects "California," "Los Angeles," and finally "Los Angeles International Airport." Each of these selections are provided to the user in a menu format on the display 22, such as known to those skilled in the art.

Figures 3-3C schematically illustrate this display and selection process according to one embodiment of the invention. Figures 3-3C show successive displays which are displayed on the display 22, Figure 1. Specifically, the system 10 of Figure 1 first provides information to the display 22 that represents a selection 50 of various countries which can be selected by a user, such as shown in Figure 3. In this example, a user selects the "United States" (such as shown by the check-mark 52). The system 10 thereafter provides information to the display 22 that represents a map 54 of the United States, shown in Figure 3A, so that a user can point and select "California" with a mouse pointer 56 via the mouse tracker 25. Upon selection, an outline 58 of California is displayed, including many, if not all, of its major cities, as shown in Figure 3B (for illustrative purposes, only Los Angeles and San Francisco are identified).

With the outline of California displayed, a user can select "Los Angeles" by again pointing the mouse pointer 56 onto the city identified as Los Angeles and clicking

the mouse tracker 35. Thereafter, an alphabetic listing 60 of well-known places is provided by the system to the display 22, as shown in Figure 3C, so that a user can, appropriately, select a geographic vicinity within which to locate the items of interest. In this example, a user would appropriately select Los Angeles International Airport, as illustrated with a check-mark 62.

As should be clear to those skilled in the art, the successive display of information within the display 22 can be accomplished in several ways, each of which is within the scope of the invention. For example, the display of information shown in Figures 3-3C can be done through menus only, and without the map illustrations shown in Figure 3A and 3B. That is, a menu of information can replace the maps of Figures 3A and 3B, such as for example provided in Figures 3 and 3C. A menu of the United States, for example, at least includes a listing of the several states; and a map of California at least includes a menu listing of its major cities.

Likewise, the display of information on the display 22 can entirely be in graphical form. In such a case, the menus of Figure 3 and 3C are replaced, respectively, with (i) graphical representations of the world, and (ii) graphical locations of key items of interest within the greater Los Angeles area.

Accordingly, the default display of information to a user monitoring the display 22 is a mixture of graphics and menus, such as shown in Figures 3-3C. However, a user can select only the display of graphic information by activating the "GRAPHICS" key 64, Figure 1. Likewise, a user can also select the "MENU" key 66 to display information in the menu (text) mode. Those skilled in the art should appreciate that other keys, key names, and combinations of keys can be used in accord with the invention to select and/or display other information. For example, a print key 68 provides a command for printing the current display of the port 16, which therefore preferably includes an attached printer 70 connected via communication line 71.

Figure 4 illustrates one embodiment of the invention showing a process flow 73 for providing information about selected items of interest to a user at the remote port.

The flow 73 includes instructions at different levels of abstraction, such as at the U.S. level, city level, and at the specific areas of interest, which help a user to select and locate the items of interest.

Thus, it is preferred, according to the invention, that a user's selected display of items of interest within an associated category and geographic vicinity is accessed hierarchically within the database 12. As such, each set of positional coordinates corresponds to a discrete remote port location of one geographic vicinity.

Figures 4 and 4A illustrate this hierarchical approach. If, for example, a user at a remote port has commanded the display of one geographic vicinity (i.e., an area of interest map) and selects the display of a different geographic vicinity, it is necessary to first return to the associated city map, or even to the U.S. map, depending on the desired location, to access that different geographic vicinity.

Figure 4A schematically illustrates this selection by way of a U.S. map 74 which includes two city maps 75, 76. The geographic vacinities 75a, 76a within each city map, respectively, are selectable by hierarchically selecting the appropriate city map first. In this manner, if a user is currently displaying one vicinity 74a, and desires a display of a vicinity 76a, the user must first successively select the city map 75, the U.S. map 74, and the city map 76. Figure 4A also illustratively shows the positional coordinates 77 for each vicinity 75a, 76a.

Figure 5 illustrates one embodiment of the invention wherein a user selects the associated category for the items of interest from a display menu of possible items of interest. This display to select the category is preferably displayed upon activation of the remote port 16; or, alternatively, the display is commanded by a user of the system, such as by activating the "NEW SEARCH" key 76, Figure 1. Accordingly, a user can start a new search for items of interest in a selected category by first pressing the "NEW SEARCH" key 76. Alternatively, a user can select an additional category by selecting the "ADD CATEGORY" key 46. In this manner, more than one category can be displayed at one time within the geographic vicinity.

By way of example, upon pressing the key 76, Figure 5 illustrates one embodiment of the invention which provides a listing of possible categories of items of interest in a menu 78. A user of the system 10 can select any desired category in the menu, such as by pointing and clicking on the selected item. In this example, the user has selected "computer products," a category which was used in the illustration of Figure 2 and which shows the selection by a check-mark 78. A user can thereafter press the "ADD CATEGORY" key 46 and select one other desired category in the menu, such as "sporting goods stores".

Alternative to the embodiment shown in Figure 5, another embodiment of the invention provides a word association technique, known to those skilled in the art, which allows any category of items of interest to be selected by directly typing the desired search area. For example, a user of the invention could press the "NEW SEARCH" key 76 and thereafter type "computer equipment" or "computers," or other similar association, and the controller 14 of Figure 1 would determine the best fit to the possible categories stored in the database 12 to display to the user. If the association were narrow enough, the system 10 immediately displays the items of interest within the "computer products" category, as above. However, if the search is too broad, the system can prompt the user for more information (such as known to those skilled in the art). By way of example, if a user types "computers," the system can question, or prompt, the user at the port 16 for "products," "services," or "rentals," which can thereafter be selected by the user.

The advantages of a system constructed according to the invention are several. Specifically, the invention provides a selectable display of items of interest at nearly any location, remote from the user, or centered relative to the user within the desired geographical vicinity. Further, once the display of the selected items of interest is isolated, the system provides a hard-copy for the user to walk away with. With increased usage of the invention, a corresponding increase in the number of remote access ports provides flexibility for users who can, thereby, access the system from widely accessible commercial locations, e.g., airports, car rental agencies, and train

stations. In addition, the remote access port of the invention can be located at a user's home, providing even greater flexibility for those persons who regularly travel (or who regularly need information about items of interest at a selected geographic vicinity). A person's home computer system provides data processing capability which, with a modem and software configured to communicate with the database, can provide many, if not all, of the features of the remote access port 16 described above. As such, the remote access port of the invention can include personal computers, subnotebooks, notebooks, Apple's Newton product, facsimiles, phones, cellular, mainframes, minis, interactive television and/or hybrid products.

Figure 6A illustrates a system, including a telephone-modem-satellite communications link, constructed according to the invention. Specifically, Figure 6A shows a database 12a and controller 14a, which are illustratively located in the United States and which are similar to the database 12 and controller 14 of Figure 1. The database and controller 12a, 14a connect and communicate with a remote port 16a, which is illustratively located in Europe and which is similar to the port 16 of Figure 1. A modem 80 couples to the controller 14a, such as known to those skilled in the art, and further to a telephone line 18a. The telephone line 18a connects through the telephone network to the telephone relay center 82 which provides communications, such as overseas communications, to a remote relay center 84 via a satellite 86. The relay center 84 connects to the remote port 16a (including an internal modem 80a) by the land-based telephone line 18a' so that, in combination, a user of the remote port 16a can access information from the database such as described above.

It should be apparent to those skilled in the art, for example, that the lines 18a and 18a' can also be constructed with fiber-optic cabling, co-axial cabling, internet communications and the like.

Figure 6B illustrates other embodiments of the invention for communicating between (i) the database 12b and controller 14b and (ii) the remote port 16b. A cellular communicator 88 connects to the controller 14b and communicates, via an antennae 90, with the established cellular communications network 92. The communications link is

completed with the remote port 16b, including its own antenna 94 and cellular communicator 88b, so that a user of the port 16b can communicate, as above, with the database 12b.

It should again be apparent to those skilled in the art that the communications methods described and illustrated herein can be modified, in accord with the invention, to form other communication links. For example, portions of the communications link of Figure 6A can be mixed with portions of the link of Figure 6B to establish a working and acceptable link according to the invention.

Further, the communications link of Figure 6B can be replaced with other communications mechanisms known to those in the art. For example, the antennas 90, 94 and communicators 88, 88b can be replaced by radiowave or microwave devices which communicate via a compatible network instead of a cellular network 92.

Figure 7A illustrates one embodiment of the invention wherein a display 22c, such as the display 22 of Figure 1, includes - or is replaced by - a hard-copy printer 100, such as a computer printer or facsimile. In such an embodiment, a user at the port 16c receives a hard-copy 102 of the interactive communications between the port 16c and the database 12, Figure 1. As above, the user commands selective display of data via the keyboard 24c and/or mouse tracker 25c, and a display of the geographic vicinity with the selected items of interest in the selected category are provided via the printer 100.

It should be apparent to those skilled in the art that one acceptable remote port, according to the invention, includes a port comprising a printer 100 and a telephone (not shown). In such an embodiment, a user accesses the database by telephoning the database and requesting a display of items of interest in the selected category and geographic vicinity. The controller 14 of Figure 1 can include voice recognition software and hardware, known to those skilled in the art, which prompts the user for requests and identifies and responds to the user's verbal replies. After identifying the user's desired category and present location (or intended destination location), the database transmits information in a form recognizable by the printer 100 so that the geographic

vicinity and items of interest are displayed to the user at the telephone/printer remote port.

Alternatively, a user can fax selections for the category and geographic vicinity of interest as a hard-copy. A system administrator at the database can interpret the user's selection sheet and command the transmission of the requested information, including the items of interest, back to the user. Alternatively, the database can interpret the user's selections on the sheet to automatically respond and transmit the appropriate display of information, including the items of interest, to the user.

Figure 7B shows another remote port 16d which includes a voice generation system 110 and speaker 112. In such an embodiment, a user at the port 16d (i) listens to questions, or reads messages on the display 22d, as prompted by the database, and (ii) answers the questions by the keyboard 24d. After the system identifies the user's desired geographic location and category, a print-out or display of the information is made available to the user, such as described above.

Figure 8 illustrates a mobile remote system 118 constructed according to the invention. A user holds one of several hand-held devices 122 which provide both display capability and transmit/receive capability to a remote relay 124, e.g., a cellular or radiowave communication relay. The device 122 thus operates as the remote port 16 of Figure 1. The device 122 can additionally include a GPS receiver to accurately determine the user's positional coordinates in real-time, or a PCM CIA Type II or Type III modem interface which can be miniaturized to credit card size. Alternatively, the user can specify his position coordinates and transmit that information to the database 12e. In this illustrated embodiment, the system 118 continually redefines the geo-definition of the geographic vicinity based upon the positional coordinates of the user. Data is assembled and maintained using the positional coordinates to generate a map of the geographic vicinity relative to the user and including the locations of the items of interest. As above, this geographic vicinity is assumed to be within a walking distance of the user; however, the user can select a greater radius for display, or another destination location, as needed.

The invention generally incorporates software to facilitate the several embodiments described herein and to support the principles of the invention. As known to those in the art, the data within the database can be maintained, for example, on a SQL-server, or in xBASE. The software is preferably portable to other operating systems, such as to Apple, Apple/IBM, Unix, DEC, OS/2, DOS, Windows 3.1, Windows '95; and preferably allows scalability to 64-bit architectures and greater, as technology advances.

In accord with the invention, software code supporting the database interaction with the remote port can include object-oriented programming, Visual Basic, and other software architectures configured to allow user interaction, portability to other platforms, interface with the internet or other gateways, and relational management.

Figure 9 illustrates one embodiment of database architecture 130 which is suitable for use as the database 12 of Figure 1. Specifically, the architecture 130 includes separate phone and fax interfaces, 131, 132, respectively, to interface with any one of the remote ports, e.g., the port 16 of Figure 1. Figure 10 illustrates system architecture including database architecture 140 and remote port architecture 141 connected via a pair of phone lines 142, 143 to, respectively, a touch-tone phone 142a and fax machine 143a. In this manner, a user 144 can make requests and listen to responses on the phone 142a, and receive maps and instructions via the fax machine 143a.

Other modules within the database architectures 130 and/or 140 include the following:

Communications managers 133, 133' (Figures 9 and 10, respectively) handle all data transfers for a single internal modem (or telephone interface controller) 131 in the host database, e.g., a personal computer. It responds to remote requests for data by passing the requests to a session manager 138, and handles all modem control issues, such as answering incoming calls. The communications manager 133' of Figure 10 is configured to service users who access the database from a remote port comprising a

dial-up telephone 142a. As such, the manager 133' translates touch-tone inputs into data and fax transmission requests to be sent to the session manager 138, and monitors the line 142 for time-outs when a user 144 forgets to actively disconnect. The manager 133' can also translate data from the session manager 138 into synthesized voice output for presentation to an end user 144.

The fax manager 134 handles all requests from the session manager 138 to fax and receive documents to and from end users connected through a communications link.

Because there generally are a plurality of remote ports arranged for access to the system database, there are preferably a plurality of communications managers 133 and modems 131 to service requests from the remote ports. Likewise, although the database generally includes one fax manager 134 and one interface 132, a plurality of fax managers 134 and fax machine interfaces 132 can be incorporated therein. Accordingly, the host database can answer and service a variety of remote ports simultaneously.

The session manager 138 tracks and controls information for each active session being hosted by the database architecture. It responds to requests for data passed to it by each communications manager 133 operating in the database architecture, and prioritizes, queues, and forwards these data requests to the end user data server 136. The manager 138 also forwards data requests to the system data server 137 (Figure 9 only) to log certain system information, such as user connection times, errors, system utilization, and other administrative functions.

In Figures 9 and 10, database storage memory 139 stores information which is accessible by the end user data server 136 and which is responsive to user requests, including the selected city, locations of items of interest, maps of geographic vacinities, and advertising information. In Figure 10, an additional database storage memory 139a stores information which is accessible by the

system data server 137 and which stores information such as system usage and transaction logging.

The end user data server 136 responds to requests from the session manager 138 by providing data that has been requested for transmission to the remote port. This data includes that information required to place items of interest on the selected geographic vicinity. Preferably, the end user data server 136 is the only mode of access to the specific map data, and thus all requests for this data are made through this server.

In Figure 9, the system data server 137 interacts with the session manager 138 to record system administrative data. The server 137 responds to requests from the session manager 138 to provide or record information used to track system usage, system response times, user preferences, and other data items that are used to optimize the different modules within the architecture 130.

The flow and control of information by the information controller 14, Figure 1, can include several of the functions shown illustratively in Figure 11. Specifically, a display manager 150 controls the drawing of maps (i.e., geographic vacinities) on the screen 22 and further controls status messages to a user of the system. The manager 150 responds to requests for screen updates and status message display from a system kernel module 159, described in more detail below. It also sends requests to a map manager 151 when rendering maps to the display, and sends requests to a data manager 152 in order to obtain system information required to update the display 22 or to present status messages to the user.

A map manager 151 manages map data and provides data for drawing maps to the display manager 150. The manager 151 responds to requests from the display manager 150 by providing information appropriate to the current context of the session, such as the graphical image (e.g., the geographic vicinity and advertising information) that needs to be displayed, the locations on the screen 22 of the items of interest, and the location and content of the titles of the items of interest.

A data manager 152 handles all data requests from the system kernel module 159, map manager 151, and print manager 153, and further interfaces to external data sources 155, 156 (these databases 155, 156 store raw data as the database information). The manager 152 determines the need for remote data access via a communications manager 157, and passes on remote data requests to the manager 157. The manager 152 also provides all data access services to other managers and modules within the controller 14. For example, if the data is not stored locally, the data manager 152 sends a request to the communications manager 157 to provide the desired data.

A print manager 153 handles and controls printing activities in the system, such as to a connected printer 154 (similar to the printer 110, Figure 7C; or such as a printer connected directly to the database 12). By way of example, the manager 153 requests map and other data from the data manager 152 to create and print outputs requested by the system kernel module 159. Specifically, the manager 153 responds to requests from the system kernel module 159 for print services, and sends requests to the data manager 152 based upon the system kernel requests. The manager 153 uses the information supplied by the data manager 152 to create formatted output for printing, such as by utilizing a standard Windows™ print driver interface to print the requested output.

The communications manager 157 handles all remote communications requirements, including remote data requests, and further accepts and transfers raw data from a remote data source 158 (such as data downloads to modify or add to data within the database). The manager 157 responds to requests from the system kernel module 159 for initialization, connection, and shutdown of remote connections appropriate with the actual hardware in use. It also responds to remote data requests from the data manager 152 by sending the request for remote data to the remote data source 158. When the remote data source 158 responds to the request, the communications manager 157 passes that response on to the data manager 152.

The system kernel module 159 traps all user inputs and determines required actions in the system, including those actions responsive to a user's inputs 160 (such as described above in connection with the keyboard 24). Specifically, the module 159 responds to mouse movements, mouse button clicking, and typing. Depending on the user's input, the module 159 will send requests for services to (i) the display manager 150 to update the display, (ii) the data manager 152 to provide information concerning

the map and/or other system needs, (iii) the print manager for printing services, and (iv) the communications manager 157 for remote communications services.

Figure 12 illustrates one preferred embodiment of the invention wherein certain advertising information is included within, or attached to, the geographic vicinity which is displayed or printed to a user at a remote port. For example, Figure 12 shows one illustrative geographic vicinity 30' which was shown previously in Figure 2, except that an advertisement 180 is displayed as part of that vicinity (the advertisement 180 is generically shown with the text "ADVERTISEMENT," when, in fact, a paying customer's name or company is usually displayed at that location). In the normal use of the invention, the advertiser who pays for the advertisement is generally associated with the items of interest being displayed. For example, a credit card bank or sporting goods manufacturer typically specify (and pay for) the "advertisement" logo or wording.

It should be apparent to those skilled in the art that any of the items of interest within a displayed geographic vicinity can be selected by a user and that the database can thereafter supply additional detail about that selected item of interest. In such an embodiment of the invention, the database is configured to store such additional detail and also to transmit this information to the remote port when selected. The remote port, in turn, displays the information for the user. By way of example, if the selected category is "restaurants" and a user selects a particular restaurant (i.e., one of the items of interest), a display of additional detail can, for example, include a digital picture of the layout of the dining room or bar. Additionally, the entertainment scheduled for that evening can be displayed while a recording of any associated music is played at the remote port's speakers.

Thus, a further embodiment of the invention includes a digitized, multi-media presentation that is transmitted to the remote port when an associated item of interest is selected. Using a camrecorder and/or other video capture, storage, and editing analogue or digital devices, for example, a short video clip is embedded in the data associated with the information about the items of interest and transmitted and displayed when selected.

In order to utilize the above-described multi-media presentation, the system of the invention must provide sufficient bandwidth, processing speed, and display resolution,

and the remote port must display the multi-media transmissions with sufficient speed and resolution so as to be convenient to the user of that information. Typically, the minimum central processing unit of the database and remote port run at least at 16 MHZ and is based on a CISC (complex instruction set) architecture. Further, the database, remote port and communications link should be able to transmit data at an uncompressed speed of 9600 baud per second; preferably, these devices should be faster, e.g., 28.8 Kbps, utilizing modems that subscribe to emerging industry standards such as V.34. Additionally, special connections may be required at the server, including what are known to those skilled in the art as SLIP, PPP, and TC/ICP protocols. In some cases, where additional bandwidth may be required, the modem is replaced with special interfaces provided by regional telecommunications systems that also provide dedicated optic fiber cabling. Some of those linkages are known as T1, ISDN, and 56 Kbps wide band-width connections. In addition, bandwidth may be enhanced by microwave and other communication links that do not require direct cabled connections.

Appendix A contains, for disclosure purposes, subject matter setting forth non-limiting source code which is suitable for application with the invention. Appendix A is herein incorporated by reference.

The invention thus attains the objects set forth above, in addition to those apparent from the preceding description. Since certain changes may be made in the apparatus and methods described herein without departing from the scope of the invention, it is intended that all matter contained in the above description or shown in the accompanying drawing be interpreted as illustrative and not in a limiting sense.

It is also understood that the following claims cover all the specific and generic features of the invention described herein, and all statements of the scope of the invention which, as a matter of language, might be said to fall there between.

What is claimed is:

1. System for remotely determining the position of a selected category of items of interest in a selected geographic vicinity from a database, the system comprising

(A) a database for storing information about a plurality of items of interest, the information including, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category,

(B) a communications link for communicating between a user of the system and the database,

(C) means for transmitting a portion of the information in the database to a user via the link upon receipt of a request signal representative of a selected category and geographic vicinity, the transmitted portion of the information including identification of a position for the items of interest within the selected category and geographic vicinity, and

(D) a port for remotely accessing the portion of information via the link, the port generating the request signal in response to inputs by a user which are representative of the selected category and geographic vicinity, the port having a user interface for accepting the inputs and for indicating to the user the position of each of the items of interest in the selected category and geographic vicinity.

2. System according to claim 1 wherein the link comprises at least one of the following: a telephone link, satellite link, radio-frequency link, infra-red link, internet link, facsimile link, fiber-optic link, coaxial cable link and television link.

3. System according to claim 1 wherein the database is selected from the group consisting of a personal computer, mainframe, work-station, mini-computer, and a digital data processor.

4. System according to claim 1 wherein the user interface further comprises a member of the group consisting of a television, telephone, facsimile, audible speaker, and personal computer display, for indicating information to the user.
5. System according to claim 1 wherein the user interface further comprises a member of the group consisting of a television interface, telephone interface, facsimile interface, and personal computer interface, for communicating the inputs to the port.
6. System according to claim 1 wherein the geographic vicinity comprises spatial detail of the items of interest.
7. System according to claim 1 wherein the geographic vicinity comprises a map of the items of interest in the selected category and selected geographic vicinity.
8. System according to claim 1, further comprising means for interpreting the inputs by the user and for formulating the inputs into the request signal.
9. System according to claim 1, further comprising means for interpreting certain of the inputs as items of interest and for transposing such inputs into a selected category automatically.
10. System according to claim 1, wherein the set of positional coordinates comprises a location of a user of the system.
11. System according to claim 1, wherein the set of positional coordinates comprises information identifying a destination location within the geographic vicinity.
12. System according to claim 1, further comprising data representing the information.

13. System according to claim 1, wherein the information comprises additional detail for at least one of the items of interest, and further comprising means for selecting and communicating the additional detail to the user.
14. System according to claim 13, wherein the additional detail is selected from the group of video, prerecorded music, and digital pictures.
15. System according to claim 1, wherein the information comprises an advertisement associated with at least one of the items of interest, and further comprising means for communicating the advertisement to the user.
16. System according to claim 1, wherein the information comprises a plurality of discrete geographic vicinities, and further comprising means for hierarchically selecting any of the discrete vicinities from the port.
17. Database apparatus for storing information about a plurality of items of interest, the information including, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category, comprising
 - (A) a communications link for communicating between a user of the database apparatus and a remote port, and
 - (B) means for transmitting a portion of the information to a user via the link upon receipt of a request signal representative of a geographic vicinity and a selected category of the items of interest, the transmitted portion of the information including identification of a position for the items of interest within the selected category and geographic vicinity.
18. Database apparatus according to claim 17 wherein the link comprises at least one of the following: telephone link, satellite link, radio-frequency link, infra-red link, internet link, facsimile link, fiber-optic link, coaxial cable link, television link, and combinations thereof.

19. Database apparatus according to claim 17 wherein the means for transmitting comprises a member of the group of a personal computer, mainframe, and data processor.
20. Database apparatus according to claim 17 wherein the geographic vicinity comprises spatial detail of the items of interest.
21. Database apparatus according to claim 17 wherein the geographic vicinity comprises a map of the items of interest in the selected category and selected geographic vicinity.
22. Database apparatus according to claim 17, further comprising data representing the information.
23. Database apparatus according to claim 17, wherein the information comprises additional detail for at least one of the items of interest, and further comprising means for communicating the additional detail to the remote port upon receipt of a signal indicating that a user has selected one of the items of interest.
24. Database apparatus according to claim 17, wherein the information comprises an advertisement associated with at least one of the items of interest, and further comprising means for communicating the advertisement to the remote port.
25. Database apparatus according to claim 17, wherein the information comprises a plurality of discrete geographic vicinities, and further comprising means for hierarchically storing and accessing any of the discrete vicinities in response to user inputs at the remote port.
26. Remote access port for remotely accessing a selected category of items of interest in a selected geographic vicinity from a database, the database being of the type which stores information about a plurality of items of interest, the information including, for

each of the items of interest, positional coordinates, a geographical vicinity and at least one associated category, the remote access port comprising

(A) a communications link for communicating between a user of the remote access port and the database, and

(B) means for generating a request signal representative of a selected category and a selected geographic vicinity of the items of interest in response to inputs by a user of the remote access port, the remote access port having a user interface for accepting the inputs and for indicating to the user the position of each of the items of interest within the selected category and geographic vicinity.

27. Remote access port according to claim 26 wherein the user interface further comprises one or more members of the group consisting of a television, telephone, facsimile, audible speaker, and personal computer display, for indicating the items of interest to the user.

28. Remote access port according to claim 26 wherein the user interface further comprises one or more members of the group consisting of a television interface, telephone interface, facsimile interface, and personal computer interface, for communicating the inputs by the user to the database.

29. Remote access port according to claim 26, further comprising means for interpreting the inputs by the user and formulating the inputs into the request signal.

30. Remote access port according to claim 26, further comprising means for interpreting certain of the inputs as items of interest and for transposing such inputs into a selected category automatically.

31. Remote access port according to claim 26 wherein said means for generating a request signal comprises one of a personal computer.

32. Remote access port according to claim 26, wherein the information comprises additional detail for at least one of the items of interest, and further comprising means for (i) generating a signal representative of a user selection of at least one of the items of interest, and (ii) communicating the additional detail to the user.

33. Remote access port according to claim 26, wherein the information comprises an advertisement associated with at least one of the items of interest, and further comprising means for communicating the advertisement to the user.

34. Remote access port according to claim 26, wherein the information comprises a plurality of discrete geographic vicinities, and further comprising means for hierarchically selecting any of the discrete vicinities in response to user inputs.

35. A method for remotely determining the position of a selected category of items of interest in a selected geographic vicinity from a database, comprising the steps of: (i) storing information about a plurality of items of interest in the database, the information including, for each of the items of interest, positional coordinates, a geographic vicinity, and at least one associated category; (ii) accessing the database from a remote location and over a communication link; (iii) communicating, from the remote location, information representative of a selected category and a selected geographic vicinity to the database; and (iv) transmitting a portion of the information from the database and to the user over the link, the information including, at least, identification of a position for the items of interest within the selected category and geographic vicinity.

36. A method according to claim 35, wherein the step of communication information further comprises the step of generating a request signal indicative of the selected category and vicinity.

37. A method according to claim 36, wherein the step of transmitting a portion of the information further comprises the step of responding to the request signal.

Abstract

A user can access a common database from a remote communications port, at any qualified location, to generate a map or other positional information which locates selected items of interest, e.g., businesses, stores, architectural sites, and the like. The database contains information representing the items of interest, including, for each of the items of interest, positional coordinates, a geographic vicinity, and a selected category. The positional coordinates discretely locate the vicinity, while the vicinity specifies the exact locations of the items of interest in the selected category. For example, a user in New York can select the display of sporting shops in the area surrounding Chicago O'Hara International Airport selectively. A user can also access a port and display locations of items of interest within the same vicinity as the user and relative to the user's position. The database can be modified from qualified remote locations to change, or add to, the information therein. An advertisement can be tagged to the display or print out as an association with the selected items of interest.

20250303 14:00:00




FIGURE 1




FIGURE 2

COUNTRY





FIGURE 3

FIGURE 3A




FIGURE 3C

FIGURE 3B




FIGURE 4




FIGURE 4A

CATEGORIES OF ITEMS OF INTEREST




FIGURE 5




FIGURE 6A




FIGURE 6B




FIGURE 7A





FIGURE 7B







FIGURE 9


141

141 142 143 144 145 146 147 148 149 150 151 152 153 154 155 156 157 158 159 160 161 162 163 164 165 166 167 168 169 170 171 172 173 174 175 176 177 178 179 180 181 182 183 184 185 186 187 188 189 190 191 192 193 194 195 196 197 198 199 200 201 202 203 204 205 206 207 208 209 210 211 212 213 214 215 216 217 218 219 220 221 222 223 224 225 226 227 228 229 230 231 232 233 234 235 236 237 238 239 240 241 242 243 244 245 246 247 248 249 250 251 252 253 254 255 256 257 258 259 260 261 262 263 264 265 266 267 268 269 270 271 272 273 274 275 276 277 278 279 280 281 282 283 284 285 286 287 288 289 290 291 292 293 294 295 296 297 298 299 300 301 302 303 304 305 306 307 308 309 310 311 312 313 314 315 316 317 318 319 320 321 322 323 324 325 326 327 328 329 330 331 332 333 334 335 336 337 338 339 340 341 342 343 344 345 346 347 348 349 350 351 352 353 354 355 356 357 358 359 360 361 362 363 364 365 366 367 368 369 370 371 372 373 374 375 376 377 378 379 380 381 382 383 384 385 386 387 388 389 390 391 392 393 394 395 396 397 398 399 400 401 402 403 404 405 406 407 408 409 410 411 412 413 414 415 416 417 418 419 420 421 422 423 424 425 426 427 428 429 430 431 432 433 434 435 436 437 438 439 440 441 442 443 444 445 446 447 448 449 450 451 452 453 454 455 456 457 458 459 460 461 462 463 464 465 466 467 468 469 470 471 472 473 474 475 476 477 478 479 480 481 482 483 484 485 486 487 488 489 490 491 492 493 494 495 496 497 498 499 500 501 502 503 504 505 506 507 508 509 510 511 512 513 514 515 516 517 518 519 520 521 522 523 524 525 526 527 528 529 530 531 532 533 534 535 536 537 538 539 540 541 542 543 544 545 546 547 548 549 550 551 552 553 554 555 556 557 558 559 560 561 562 563 564 565 566 567 568 569 570 571 572 573 574 575 576 577 578 579 580 581 582 583 584 585 586 587 588 589 590 591 592 593 594 595 596 597 598 599 600 601 602 603 604 605 606 607 608 609 610 611 612 613 614 615 616 617 618 619 620 621 622 623 624 625 626 627 628 629 630 631 632 633 634 635 636 637 638 639 640 641 642 643 644 645 646 647 648 649 650 651 652 653 654 655 656 657 658 659 660 661 662 663 664 665 666 667 668 669 670 671 672 673 674 675 676 677 678 679 680 681 682 683 684 685 686 687 688 689 690 691 692 693 694 695 696 697 698 699 700 701 702 703 704 705 706 707 708 709 710 711 712 713 714 715 716 717 718 719 720 721 722 723 724 725 726 727 728 729 730 731 732 733 734 735 736 737 738 739 740 741 742 743 744 745 746 747 748 749 750 751 752 753 754 755 756 757 758 759 760 761 762 763 764 765 766 767 768 769 770 771 772 773 774 775 776 777 778 779 780 781 782 783 784 785 786 787 788 789 790 791 792 793 794 795 796 797 798 799 800 801 802 803 804 805 806 807 808 809 810 811 812 813 814 815 816 817 818 819 820 821 822 823 824 825 826 827 828 829 830 831 832 833 834 835 836 837 838 839 840 841 842 843 844 845 846 847 848 849 850 851 852 853 854 855 856 857 858 859 860 861 862 863 864 865 866 867 868 869 870 871 872 873 874 875 876 877 878 879 880 881 882 883 884 885 886 887 888 889 890 891 892 893 894 895 896 897 898 899 900 901 902 903 904 905 906 907 908 909 910 911 912 913 914 915 916 917 918 919 920 921 922 923 924 925 926 927 928 929 930 931 932 933 934 935 936 937 938 939 940 941 942 943 944 945 946 947 948 949 950 951 952 953 954 955 956 957 958 959 960 961 962 963 964 965 966 967 968 969 970 971 972 973 974 975 976 977 978 979 980 981 982 983 984 985 986 987 988 989 990 991 992 993 994 995 996 997 998 999 1000



140

FIGURE 10



2500' 4400' 2500'

30'




FIGURE 12

APPENDIX A

©1995 Civix Corporation

FOR U.S. PATENT APPLICATION ENTITLED
"SYSTEM AND METHODS FOR REMOTELY ACCESSING
A SELECTED GROUP OF ITEMS OF INTEREST FROM A DATABASE"

253250" 440250

FULL CODE LISTING FOR VERSION 0.3 OF IN_VICINITY LOCATOR
Copyright 1994-95 OXKO Corporation

```

Sub AboutCivix_Click ()
    frmAbout.Show 1
End Sub

Sub cmbCategories_Click ()
    cmdUpdate.Enabled = True
End Sub

Sub cmbHeadings_Click ()
    If curHeadingStr <> cmbHeadings.Text Then
        DeleteCategories
        curHeadingStr = cmbHeadings.Text
        GetHeadingIndex (curHeadingStr)
        GetCategories (curHeadingIndex)
        If NumberOfCategories > 0 Then
            curCategoryStr = CategorySet!Category
            GetCategoryIndex (curCategoryStr)
            CategorySet.MoveFirst
            For i = 1 To NumberOfCategories - 1
                cmbCategories.AddItem CategorySet!Category
                CategorySet.MoveNext
            Next
            cmbCategories.AddItem CategorySet!Category
            cmbCategories.Text = cmbCategories.List(0)
            cmdUpdate.Enabled = True
        End If
    End If
End Sub

Sub cmdUpdate_Click ()
    If ItemNamesOn = True Then
        TItemNamesOn = True
        HideNames (NumberOfItems)
    End If
    HideItems

```

```

curCategoryStr = cmbCategories.Text
GetCategoryIndex (curCategoryStr)

Panel3D7.Caption = Cities(CurrentCityIndex).Name
Panel3D9.Caption = Areas(CurrentLocation).Name
Panel3D11.Caption = curCategoryStr
cmdUpdate.Enabled = False
ShowItems (curCategoryIndex)
If TitemNamesOn = True Then
    ShowNames (NumberOfItems)
End If
lblPopItem.Visible = False

End Sub

Sub cmdZoom_Click ()
    lblPopCityArea.Visible = False
    If ZoomLevel = "City" Then 'zoom up to country map
        If AreaNamesOn Then
            HideNames (NumberOfAreas)
        End If
        HideAreas
        ShowCities
        picMain.Picture = picUSA.Picture
        cmdZoom.Visible = False
        Panel3D1.Visible = False
        Panel3D4.Visible = True
        lblUSMapCaption.Visible = False
        Panel3D7.Caption = "None"
        Panel3D9.Caption = "None"
        Panel3D11.Caption = "None"
        lblPopCityArea.Visible = False
        ZoomLevel = "Country"
        HelpShowNames.Checked = False
        If CityNamesOn Then
            ShowNames (NumberOfCities)
        End If
    End If
    If ZoomLevel = "Location" Then 'zoom up to city map

```

```

If ItemNamesOn Then
  HideNames (NumberOfItems)
End If
picMain.Picture = CityPicture.Picture
cmdZoom.Caption = "U.S. Map"
HideItems
ShowAreas
  ' show the areas on the map
ZoomLevel = "City"
picPort.Visible = False
picMain.Visible = True
Panel3D3.Visible = False
cmbCategories.Visible = False
cmbHeadings.Visible = False
cmdUpdate.Visible = False
Panel3D2.Visible = False
lblUSMapCaption.Visible = True
p3DItemInfo.Visible = False
p3DStreetAddLbl.Visible = False
p3DStreetAdd.Visible = False
p3DPhoneLbl.Visible = False
p3DPhone.Visible = False
p3DFaxLbl.Visible = False
p3DFaxNumber.Visible = False
'p3DDescLbl.Visible = False
'p3DDescription.Visible = False
picSponsorAd.Visible = False

curCategoryStr = ""
panel3D9.Caption = "None"
panel3D11.Caption = "None"
HelpShowNames.Checked = False
If AreaNamesOn Then
  ShowNames (NumberOfAreas)
End If
End If
End Sub

Sub FileExit_Click ()
End

```

```

End Sub

Sub FilePrint_Click ()
    CMDialog1.CancelError = True
    On Error GoTo ErrHandler

    CMDialog1.Action = 5
    PrintForm

ErrHandler:
    Exit Sub
End Sub

Sub Form_Load ()

    ReDim Cities(1)

    'delivery only
    'Set DB = OpenDatabase("civix.mdb")

    'development only
    Set DB = OpenDatabase("t:\client\civix\proto\current\civix.mdb")
    Set GlobalSet = DB.CreateDynaset("SELECT * from Globals")

    PortXPix = GlobalSet!PortPixels
    PortYPix = GlobalSet!PortPixels
    CityXPix = GlobalSet!CityPixels
    CityVPix = GlobalSet!CityPixels
    PortXGrid = GlobalSet!([Port Width])
    PortYGrid = GlobalSet!([Port Height])
    'MsgBox "XP: " & PortXPix & "YP: " & PortYPix & "XG: " & PortXGrid & "YG: " & PortYGrid

    Set CitySet = DB.CreateDynaset("CitySet")
    Panel3D7.Caption = "None"
    Panel3D9.Caption = "None"
    Panel3D11.Caption = "None"
    GetNumberOfCities
    GetCities

```



```

PixelsWide = Form1.picMain.Width + 10
PixelsHigh = Form1.picMain.Height + 15
ZoomLevel = "Country"
End Sub

Sub HelpShowNames_Click ()
Select Case ZoomLevel
Case "Country"
    If CityNamesOn Then
        HideNames (NumberOfCities)
        CityNamesOn = False
    Else
        ShowNames (NumberOfCities)
        CityNamesOn = True
    End If
Case "City"
    If AreaNamesOn Then
        HideNames (NumberOfAreas)
        AreaNamesOn = False
    Else
        ShowNames (NumberOfAreas)
        AreaNamesOn = True
    End If
Case "Location"
    If ItemNamesOn Then
        HideNames (NumberOfItems)
        ItemNamesOn = False
    Else
        ShowNames (NumberOfItems)
        ItemNamesOn = True
    End If
End Select
End Sub

Sub HideNames (NumNames)

    HelpShowNames.Checked = False
    Select Case ZoomLevel

```

```

Case "Country"
  For i = 1 To NumNames
    Unload LabelName(i)
  Next
Case "City"
  For i = 1 To NumNames
    Unload LabelName(i)
  Next
Case "Location"
  For i = 1 To NumNames
    Unload LabelNameb(i)
  Next
End Select
End Sub

Sub MoveToAreaMap (Index As Integer)
  If CityNamesOn = True Then
    HideNames (NumberOfCities)
  End If
  picCityPick(Index).BackColor = &H0&
  picUSA.Picture = picMain.Picture
  CityBmpName = GetCityBmpName(Index)

  'use the next line for delivery only
  'picMain.Picture = LoadPicture(CityBmpName)

  'use the next line during development only
  picMain.Picture = LoadPicture("t:\client\civix\proto\current\" & CityBmpName)

  HideCities
  CurrentCityKey = Cities(Index).Key
  CurrentCityIndex = Index
  Panel3D7.Caption = Cities(Index).Name
  Panel3D9.Caption = "None"
  Panel3D11.Caption = "None"
  lblUSMapCaption.Visible = True
  ShowAreas
  cmdZoom.Caption = "U.S. Map"
  lblPopCityArea.Visible = False

```

```

lblPopItem.Visible = False
ZoomLevel = "City"
If AreaNamesOn = True Then
    ShowNames (NumberOfAreas)
End If

End Sub

Sub MoveToLocationMap (Index As Integer)
    If AreaNamesOn = True Then
        HideNames (NumberOfAreas)
    End If
    lblPopCityArea.Visible = False
    lblPopItem.Visible = False
    picCityPick(Index).BackColor = &H0&
    Form1.MousePointer = 1
    CityPicture.Picture = picMain.Picture
    AreaBmpName = GetAreaBmpName(Index)

    'use the next line for delivery only
    'picMain.Picture = LoadPicture(AreaBmpName)

    'use the next line during development only
    picPort.Picture =
        LoadPicture("t:\client\civix\proto\current\" &
            AreaBmpName)

    CurrentLocation = Index
    HideAreas
    lblUSMapCaption.Visible = False
    p3DItemInfo.Visible = True
    p3DStreetAddLbl.Visible = True
    p3DPhoneLbl.Visible = True
    p3DFaxLbl.Visible = True
    'p3DDescLbl.Visible = True
    picSponsorAd.Visible = True

    p3DStreetAdd.Visible = True

```

```

p3DPhone.Visible = True
p3DFaxNumber.Visible = True
'p3DDescription.Visible = True

p3DStreetAdd.Caption = ""
p3DPhone.Caption = ""
p3DFaxNumber.Caption = ""
p3DDescription.Caption = ""
p3DItemInfo.Caption = "Item Data"

Panel3D2.Visible = True
Panel3D3.Visible = True
Panel3D5.Visible = True
cmdUpdate.Visible = True
picPort.Height = PortYPix
picPort.Width = PortXPix
picPort.Visible = True
picMain.Visible = False
cmbCategories.Visible = True
cmbCategories.Clear
cmbHeadings.Visible = True
cmbHeadings.Clear
GetHeadings
If NumberOfHeadings > 0 Then
    HeadingsSet.MoveFirst
    For i = 1 To NumberOfHeadings - 1
        cmbHeadings.AddItem HeadingsSet!Heading
        HeadingsSet.MoveNext
    Next
    cmbHeadings.AddItem HeadingsSet!Heading
    curHeadingStr = cmbHeadings.List(0)
    cmbHeadings.Text = cmbHeadings.List(0)
End If
GetHeadingIndex (curHeadingStr)
GetCategories (curHeadingIndex)
If NumberOfCategories > 0 Then
    CategorySet.MoveFirst
    For i = 1 To NumberOfCategories - 1
        cmbCategories.AddItem CategorySet!Category

```

```

CategorySet.MoveNext
Next
cmbCategories.AddItem CategorySet!Category
cmbCategories.Text = cmbCategories.List(0)
CategorySet.MoveFirst
curCategoryStr = cmbCategories.Text
GetCategoryIndex (curCategoryStr)
ShowItems (curCategoryIndex)
End If
Panel3D7.Caption = Cities(CurrentCityIndex).Name
Panel3D9.Caption = Areas(CurrentLocation).Name
Panel3D11.Caption = curCategoryStr
cmdZoom.Caption = Cities(CurrentCityIndex).Name & " Map"
ZoomLevel = "Location"
If ItemNamesOn = True Then
    ShowNames (NumberOfItems)
End If

End Sub

Sub picAreaPick_Click (Index As Integer)
    MoveToLocationMap (Index)
End Sub

Sub picAreaPick_GotFocus (Index As Integer)
    picAreaPick(Index).BackColor = &H0&
    If Not AreaNamesOn Then
        lblPopCityArea.Caption = Areas(Index).Name

        topl = picAreaPick(Index).Top
        left1 = picAreaPick(Index).Left + 10
        If (left1 + lblPopCityArea.Width) > picMain.Width Then
            left1 = picMain.Width - lblPopCityArea.Width
            topl = topl - 20
        End If
        If topl < 0 Then
            topl = topl + 10
        End If
        lblPopCityArea.Top = topl
    End Sub

```

```

top1 = top1 - 30
End If
If top1 < 0 Then
    top1 = top1 + 10
End If
lblPopCityArea.Top = top1
lblPopCityArea.Left = left1
lblPopCityArea.Visible = True
End If

End Sub

Sub picCityPick_KeyPress (Index As Integer, KeyAscii As Integer)
    If KeyAscii = 13 Or KeyAscii = 43 Then
        MoveToAreaMap (Index)
    End If
End Sub

Sub picCityPick_LostFocus (Index As Integer)
    picCityPick(Index).BackColor = &HFFFFFFF
End Sub

Sub picCityPick_MouseMove (Index As Integer, Button As Integer,
    Shift As Integer, X As Single, Y As
    Single)

    Form1.MousePointer = 10
    picCityPick(Index).SetFocus

End Sub

Sub picItemPick_GotFocus (Index As Integer)

    picItemPick(Index).BackColor = &H0&
    If Not ItemNamesOn Then
        lblPopItem.Caption = Items(Index).Name
    End If
    top1 = picItemPick(Index).Top

```

```

left1 = picItemPick(Index).Left + 10
If (left1 + lblPopItem.Width) > picPort.Width Then
    left1 = picPort.Width - lblPopItem.Width
    topl = topl - 10
End If
If topl < 0 Then
    topl = topl + 10
End If
lblPopItem.Top = topl
lblPopItem.Left = left1
lblPopItem.Visible = True
p3DStreetAdd.Caption = Items(Index).StreetAdd
p3DPhone.Caption = Items(Index).Phone
p3DFaxNumber.Caption = Items(Index).Fax
p3DDescription.Caption = Items(Index).Description
p3DItemInfo.Caption = "Item Data for " &
    Items(Index).Name
End If

End Sub

Sub picItemPick_LostFocus (Index As Integer)
    picItemPick(Index).BackColor = &HFFFFFFF
End Sub

Sub picItemPick_MouseMove (Index As Integer, Button As Integer,
    Shift As Integer, X As Single, Y As
    Single)
    Form1.MousePointer = 10
    picItemPick(Index).SetFocus
End Sub

Sub picMain_Click ()
    Beep
End Sub

```

```
Sub picMain_MouseMove (Button As Integer, Shift As Integer, X As  
    Single, Y As Single)  
    Form1.MousePointer = 1  
End Sub  
  
Sub picPort_Click ()  
    Beep  
End Sub  
  
Sub picPort_MouseMove (Button As Integer, Shift As Integer, X As  
    Single, Y As Single)  
    Form1.MousePointer = 1  
End Sub  
  
Sub ShowNames (NumNames)  
  
    lblPopCityArea.Visible = False  
    lblPopItem.Visible = False  
    HelpShowNames.Checked = True  
  
    Select Case ZoomLevel  
    Case "Country"  
        For i = 1 To NumNames  
            Load LabelName(i)  
            LabelName(i).Caption = Cities(i).Name  
            topl = picCityPick(i).Top  
            left1 = picCityPick(i).Left + 10  
            If topl < 0 Then  
                topl = topl + 4  
            End If  
            LabelName(i).Top = topl  
            LabelName(i).Left = left1  
            LabelName(i).Visible = True  
        Next  
    Case "City"  
        For i = 1 To NumNames  
            Load LabelName(i)  
            LabelName(i).Caption = Areas(i).Name
```



```

top1 = picAreaPick(i).Top
left1 = picAreaPick(i).Left + 10
If top1 < 0 Then
    top1 = top1 + 4
End If
LabelName(i).Top = top1
LabelName(i).Left = left1
LabelName(i).Visible = True
Next
Case "Location"
    For i = 1 To NumNames
        Load LabelNameb(i)
        LabelNameb(i).Caption = Items(i).Name
        top1 = picItemPick(i).Top
        left1 = picItemPick(i).Left + 10
        If top1 < 0 Then
            top1 = top1 + 4
        End If
        LabelNameb(i).Top = top1
        LabelNameb(i).Left = left1
        LabelNameb(i).Visible = True
    Next
End Select
End Sub

Sub cmdAboutOK_Click ()
    frmAbout.Hide
End Sub

```

Copyright 1994 The OXKO Corporation
This software developed by The OXKO

Corporation for CIVIX. The ownership
of the software shall transfer to CIVIX
upon payment as arranged.

Global NumberOfCities As Long
Global NumberOfAreas As Long
Global NumberOfItems As Long
Global NumberOfCategories As Long
Global NumberOfHeadings As Long
Global ZoomLevel As String
Global CitySet As Dynaset
Global AreaSet As Dynaset
Global ItemSet As Dynaset
Global CategorySet As Dynaset
Global HeadingsSet As Dynaset
Global GlobalSet As Dynaset

```
Global CurrentCityIndex As Long
Global CurrentLocation As Long
Global CurrentCityKey As Long
Global curCategoryStr As String
Global curCategoryIndex As Integer
Global curHeadingStr As String
Global curHeadingIndex As Integer
Global Db As Database
Type CityRecord
```

```

Name As String
MapName As String
Key As Long
XCoord As Long
YCoord As Long
MaxXGrid As Long
MaxYGrid As Long
End Type
Type AreaRecord
Name As String

```

```

MapName As String
XCoord As Long
YCoord As Long
End Type
Type ItemRecord
    Name As String
    StreetAdd As String
    Key As Long
    Category As String
    XCoord As Long
    YCoord As Long
    Directions As String
    Description As String
    Phone As String
    Fax As String
    OwnerManager As String
    Title As String
    OtherAddress As String
End Type
Global Cities() As CityRecord
Global Areas() As AreaRecord
Global Items() As ItemRecord
Global CityBmpName As String
Global AreaBmpName As String
Global CityNamesOn As Integer
Global AreaNamesOn As Integer
Global ItemNamesOn As Integer
Global PortXPix As Integer
Global PortYPix As Integer
Global CityXPix As Integer
Global CityYPix As Integer
Global PortXGrid As Integer
Global PortYGrid As Integer

Sub DeleteCategories ()
    CategorySet.Close
    Form1.cmbCategories.Clear
End Sub

```

' bitmap for a city
' bitmap for a intersectional point

```

Function GetAreaBmpName (Index As Integer)

    GetAreaBmpName = Areas(Index).MapName

End Function

Sub GetCategories (Key As Integer)

    Set CategorySet = Db.CreateDynaset("SELECT DISTINCTROW
    Categories.Category, Categories.Index FROM Categories
    WHERE (Categories.Heading = " & Key & ") WITH
    OWNERACCESS OPTION; ")

    If Not CategorySet.EOF Then
        CategorySet.MoveLast
        NumberOfCategories = CategorySet.RecordCount
        CategorySet.MoveFirst
        MsgBox "Cats : " & NumberOfCategories
    Else
        MsgBox "No Items for this Heading!"
    End If

End Sub

Sub GetCategoryIndex (curCategoryStr As String)

    CategorySet.MoveFirst
    While Not CategorySet.EOF
        If CategorySet!Category = curCategoryStr Then
            curCategoryIndex = CategorySet!Index
        End If
    CategorySet.MoveNext
    Wend

End Sub

Sub GetCities ()
    Index = 1
    CitySet.MoveFirst

```

```

While Not CitySet.EOF
    Cities(Index).MapName = CitySet!FileName
    Cities(Index).Key = CitySet!CityKey
    Cities(Index).Name = CitySet!Name
    Cities(Index).XCoord = CitySet!XCoord
    Cities(Index).YCoord = CitySet!YCoord
    Cities(Index).MaxXGrid = CitySet!MaxXGrid
    Cities(Index).MaxYGrid = CitySet!MaxYGrid
    Load Form1.picCityPick(Index)
    Form1.picCityPick(Index).Top = Cities(Index).YCoord
    Form1.picCityPick(Index).Left = Cities(Index).XCoord
    Form1.picCityPick(Index).Visible = True
    CitySet.MoveNext
    Index = Index + 1
Wend

```

End Sub

```
Function GetCityBmpName (Index As Integer)
```

```
    GetCityBmpName = Cities(Index).MapName
```

End Function

```
Sub GetHeadingIndex (HeadingStr As String)
```

```
    HeadingsSet.MoveFirst
```

```
    While Not HeadingsSet.EOF
```

```
        If HeadingsSet!Heading = HeadingStr Then
            curHeadingIndex = HeadingsSet!Index
        End If
    HeadingsSet.MoveNext
Wend

```

End Sub

```

Sub GetHeadings ()

Set HeadingsSet = Db.CreateDynaset("SELECT DISTINCTROW
    CatHeadings.Heading, CatHeadings.Index FROM CatHeadings
    WITH OWNERACCESS OPTION;")

If Not HeadingsSet.EOF Then
    HeadingsSet.MoveLast
    NumberOfHeadings = HeadingsSet.RecordCount
    HeadingsSet.MoveFirst
    curHeadingStr = HeadingsSet!Heading
Else
    MsgBox "No Headings!"
End If

End Sub

Sub GetNumberOfCities ()

If Not CitySet.EOF Then
    CitySet.MoveLast
    NumberOfCities = CitySet.RecordCount
Else
    MsgBox "No Cities, cannot continue"
End If
End If
ReDim Cities(NumberOfCities)

End Sub

Sub HideAreas ()

If NumberOfAreas > 0 Then
    For i = 1 To NumberOfAreas
        Form1.picAreaPick(i).Visible = False
    Next
End If

End Sub

```

```

End Sub

Sub HideCities ()
    Form1.cmdZoom.Visible = True
    Form1.Panel3D1.Visible = True
    Form1.Panel3D4.Visible = False
    For i = 1 To NumberOfCities
        Form1.picCityPick(i).Visible = False
    Next
End Sub

Sub HideItems ()
    For i = 1 To NumberOfItems
        Unload Form1.picItemPick(i)
    Next
    ReDim Items(1)
    NumberOfItems = 0
End Sub

Sub ShowAreas ()

    If NumberOfAreas > 0 Then
        For i = 1 To NumberOfAreas
            Unload Form1.picAreaPick(i)
        Next
        ReDim Areas(1)
        NumberOfAreas = 0
    End If

    Set AreaSet = Db.CreateDynaset("SELECT Locations.City,
        Locations.Name, Maps.FileName, Locations.LocationKey,
        GridCoord.XCoord, GridCoord.YCoord FROM Locations,
        Maps, GridCoord, Locations LEFT JOIN Maps ON
        Locations.MapName = Maps.Name, Locations LEFT JOIN
        GridCoord ON Locations.GridLoc = GridCoord.GridKey
        where city = " & CurrentCityKey & " WITH OWNERACCESS
        OPTION;")

```

```

If Not AreaSet.EOF Then
    AreaSet.MoveLast
    NumberOfAreas = AreaSet.RecordCount
Else
    Exit Sub
End If

ReDim Areas(NumberOfAreas)

Index = 1
AreaSet.MoveFirst
While Not AreaSet.EOF
    Areas(Index).MapName = AreaSet.FileName
    Areas(Index).Name = AreaSet.Name
    Areas(Index).XCoord = AreaSet.XCoord
    Areas(Index).YCoord = AreaSet.YCoord
    Load Form1.picAreaPick(Index)
    'MsgBox "CityXPix: " & CityXPix & " CityYPix: " &
        "CityYPix
    'MsgBox "CityMaxX: " & Cities(CurrentCityIndex).MaxXGrid
        & " CityYMax: " &
        Cities(CurrentCityIndex).MaxYGrid
    'MsgBox "X: " & Areas(Index).XCoord & " Y: " &
        Areas(Index).YCoord

    Form1.picAreaPick(Index).Left = CityXPix *
        (Areas(Index).XCoord /
        Cities(CurrentCityIndex).MaxXGrid)

    Form1.picAreaPick(Index).Top = CityYPix *
        (Areas(Index).YCoord /
        Cities(CurrentCityIndex).MaxYGrid)

```



```

Form1.picAreaPick(Index).Visible = True
AreaSet.MoveNext
Index = Index + 1
Wend

```

End Sub

Sub ShowCities ()

```

Form1.cmdZoom.Visible = False
Form1.Panel3D1.Visible = False
Form1.Panel3D4.Visible = True
For i = 1 To NumberOfCities
    Form1.picCityPick(i).Visible = True
    Form1.picCityPick(i).BackColor = &HFFFFFFF
Next

```

End Sub

Sub ShowItems (Key As Integer)

```

MaxX = Areas(CurrentLocation).XCoord + Int(.5 * PortXGrid)-1
Minx = Areas(CurrentLocation).XCoord - Int(.5 * PortXGrid)
MaxY = Areas(CurrentLocation).YCoord + Int(.5 * PortYGrid)-1
MinY = Areas(CurrentLocation).YCoord - Int(.5 * PortYGrid)

```

```

Set ItemSet = Db.Createdynaset("SELECT DISTINCTROW
    Items.Name, Items.Description, Items.Directions,
    Items.ItemKey, GridCoord.XCoord, GridCoord.YCoord,
    Items.StreetAdd, Items.Phone, Items.Fax,
    Items.OwnerManager, Items.Title, Items.OtherAddress,
    Categories.Index FROM Items, Categories, Cities,
    GridCoord, CatsForItems, Cities LEFT JOIN Items ON
    Cities.CityKey = Items.CityKey, Items LEFT JOIN
    GridCoord ON Items.GridLoc = GridCoord.GridKey, Items
    LEFT JOIN CatsForItems ON Items.ItemKey =
    CatsForItems.ItemRef, CatsForItems LEFT JOIN Categories
    ON CatsForItems.CatRef = Categories.Index WHERE

```

```
((Cities.CityKey = " & CurrentCityKey & ") And
(Categories.Index = " & Key & ") And (GridCoord.XCoord
<= " & MaxX & ") And (GridCoord.XCoord >= " & MinX & ")
And (GridCoord.YCoord <= " & MaxY & ") And
(GridCoord.YCoord >= " & MinY & ")) WITH OWNERACCESS
OPTION;")
```

```
If Not ItemSet.EOF Then
    ItemSet.MoveLast
    NumberOfItems = ItemSet.RecordCount
    'MsgBox " Items: " & NumberOfItems
Else
    'MsgBox "No Items for this Category!"
    Exit Sub
End If
```

```
ReDim Items(NumberOfItems)
```

```
Index = 1
ItemSet.MoveFirst
While Not ItemSet.EOF
    Items(Index).Key = ItemSet!ItemKey
    Items(Index).Name = ItemSet!Name
    Items(Index).Description = ItemSet!Description
    Items(Index).Directions = ItemSet!Directions
    Items(Index).XCoord = ItemSet!XCoord
    Items(Index).YCoord = ItemSet!YCoord
    Items(Index).StreetAdd = ItemSet!StreetAdd
    Items(Index).Phone = ItemSet!Phone
    Items(Index).Fax = ItemSet!Fax
    Items(Index).OwnerManager = ItemSet!OwnerManager
    Items(Index).Title = ItemSet!Title
    Items(Index).OtherAddress = ItemSet!OtherAddress
    Load Form1.picItemPick(Index)
```

```
Form1.picItemPick(Index).Top = Int(((Items(Index).YCoord
- Areas(CurrentLocation).YCoord) / PortYGrid) +
.5) * (PortYPix))
```

258250" 44002580

```
Form1.picItemPick(Index).Left =  
  Int((((Items(Index).XCoord -  
    Areas(CurrentLocation).XCoord) / PortXGrid) + .5)  
    * (PortXPix))
```

```
'MsgBox " Top : " & Form1.picItemPick(Index).Top & "  
  Left: " & Form1.picItemPick(Index).Left
```

```
Form1.picItemPick(Index).Visible = True  
ItemSet.MoveNext  
Index = Index + 1  
Wend
```

End Sub

```
Sub Timer1_Timer ()  
  Form1.Show 0  
  Splash.Hide  
  Timer1.Enabled = False  
  Unload Splash
```

End Sub

**COMBINED DECLARATION AND POWER OF ATTORNEY
FOR PATENT APPLICATION**

(Original, Design, National Stage of PCT, Supplemental,
Divisional, Continuation or CIP)

As a below named inventor, I hereby declare that:

TYPE OF DECLARATION

This declaration is of the following type: (check one
applicable item below)

- ☒ original
☐ design
☐ supplemental
☐ national stage of PCT
☐ divisional
☐ continuation
☐ continuation-in-part (CIP)

INVENTORSHIP IDENTIFICATION

My residence, post office address and citizenship are as
stated below next to my name, and I believe I am the original,
first and sole inventor (if only one name is listed below) or an
original, first and joint inventor (if plural names are listed
below) of the subject matter which is claimed and for which a
patent is sought on the invention entitled:

TITLE OF INVENTION

SYSTEM AND METHODS FOR REMOTELY ACCESSING A SELECTED GROUP OF
ITEMS OF INTEREST FROM A DATABASE

SPECIFICATION IDENTIFICATION

the specification of which (check one):

- ☒ is attached hereto.
- ☐ was filed on _____ as
Application Serial No. _____ or
- ☐ Express Mail No., as Serial No. not yet known
_____ and was amended on _____
(if applicable).
- ☐ was described and claimed in PCT International
Application No. _____ filed on
_____ and as amended under PCT Article 19 on
_____ (if any).

ACKNOWLEDGEMENT OF REVIEW OF PAPERS AND DUTY OF CANDOR

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims as amended by any amendment referred to herein.

I acknowledge the duty to disclose information which is material to the examination of this application in accordance with Title 37, Code of Federal Regulations, §1.56(a).

- ☐ In compliance with this duty there is attached an information disclosure statement. 37 CFR 1.97.

PRIORITY CLAIM

I hereby claim foreign priority benefits under Title 35, United States Code, §119 of any foreign application(s) for patent or inventor's certificate or of any PCT international application(s) designating at least one country other than the United States of America listed below and have also identified below any foreign application(s) for patent or inventor's certificate or any PCT international application(s) designating at least one country other than the United States of America filed by me on the same subject matter having a filing date before that of the application(s) of which priority is claimed.

Check one:

- ☒ no such applications have been filed.
- ☐ such applications have been filed as follows:

EARLIEST FOREIGN APPLICATION(S), IF ANY FILED WITHIN
12 MONTHS (6 MONTHS FOR DESIGN) PRIOR TO
THIS U.S. APPLICATION

Country	Application Number	Date of Filing (mo., day, year)	Priority Claimed Under 37 USC 119
			<input type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO
			<input type="checkbox"/> YES <input type="checkbox"/> NO

ALL FOREIGN APPLICATION(S), IF ANY FILED MORE THAN
12 MONTHS (6 MONTHS FOR DESIGN) PRIOR TO
THIS U.S. APPLICATION

CLAIM FOR BENEFIT OF EARLIER U.S./PCT APPLICATION(S)

I hereby claim the benefit under Title 35, United States Code, §120 of any United States application(s) or PCT international application(s) designating the United States of America that is/are listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in that/those prior application(s) in the manner provided by the first paragraph of Title 35, United States Code, §112, I acknowledge the duty to disclose material information as defined in Title 37, Code of Federal Regulations, §1.56(a) which occurred between the filing date of the prior application(s) and the national or PCT international filing date of this application.

268230-44002520

PRIOR U.S. APPLICATIONS OR PCT INTERNATIONAL APPLICATIONS
DESIGNATING THE U.S. FOR BENEFIT UNDER 35 USC 120:

U.S. APPLICATIONS	U.S. FILING DATE	STATUS
<u>(Application Serial No.)</u>	<u>(Filing Date)</u>	<u>(Status)</u> (patented, pending, aband.)
<u>(Application Serial No.)</u>	<u>(Filing Date)</u>	<u>(Status)</u> (patented, pending, aband.)

POWER OF ATTORNEY

As a named inventor, I hereby appoint the following attorneys and/or agents to prosecute this application and transact all business in the United States Patent and Trademark Office connected therewith:

Edmund R. Pitcher,	Reg. No. 27,829
Steven M. Bauer,	Reg. No. 31,481
Paula A. Campbell,	Reg. No. 32,503
Douglas J. Kline,	Reg. No. 35,574
Loletta L. Darden	Reg. No. 37,603
Gillian M. Fenton	Reg. No. 36,508
Curtis A. Vock	Reg. No. 38,356
Joseph A. Capraro	Reg. No. 36,471
Robin D. Kelley,	Reg. No. 34,637
Robert J. Tosti,	Reg. No. 35,393
Duncan A. Greenhalgh	Reg. No. 38,678
Gretchen A. Rice	Reg. No. 37,429

Direct correspondence to:

Patent Administrator
Testa, Hurwitz & Thibeault
Exchange Place
53 State Street
Boston, MA 02109-2809 U.S.A.

Direct telephone calls to:

Curtis A. Vock, (617) 248-7367
(name and telephone number)

DECLARATION

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

SIGNATURE(S)

W. Lincoln Bouve
Full name of sole or first inventor

U.S.
Citizenship

Inventor's signature

Date

40 Lawndale Road, Milton, MA 02186
Residence

Same
Post Office Address

2025-01-10 11:00:00

William T. Semple
Full name of second joint inventor
if any

U.S.
Citizenship

Inventor's signature

Date

225 North Garfield Street, Arlington, VA 22201
Residence

Same
Post Office Address

25250-44002630

CHECK PROPER BOX(ES) FOR ANY OF THE FOLLOWING ADDED PAGE(S)
WHICH FORM A PART OF THIS DECLARATION

- ☒ Signature for third and subsequent joint inventors.
Number of pages added 1.
- ☐ Signature by administrator(trix), executor(trix) or
legal representative for deceased or incapacitated
inventor. Number of pages added ____.
- ☐ Signature for inventor who refuses to sign or cannot
be reached by person authorized under 37 CFR 1.47.
Number of pages added ____.
- ☐ Added pages to combined declaration and power of
attorney for divisional, continuation, or continuation
in-part (CIP) application. ____ Number of pages added.
- ☐ Authorization of attorney(s) to accept and follow
instructions from representative.

If no further pages form a part of this Declaration then end this
Declaration with this page and check the following item.

- ☐ This declaration ends with this page.

ADDED PAGES FOR ADDITIONAL INVENTORS

Steven W. Oxman
Full name of second joint inventor
if any

U.S.
Citizenship

Inventor's signature

Date

385 Wesbury Drive, Riva, MD 21140
Residence

Same
Post Office Address

203220-11002530

PATENT

Attorney's Docket No. CVX-001

Applicant or Patentee: W. Lincoln Bouve, William T. Semple and Steven W. Oxman
Serial or Patent No.: 08/
Filed or Issued: Herewith
For: SYSTEM AND METHODS FOR REMOTELY ACCESSING A SELECTED GROUP OF ITEMS OF
INTEREST FROM A DATABASE

**VERIFIED STATEMENT (DECLARATION) CLAIMING SMALL ENTITY
STATUS (37 CFR 1.9(f) AND 1.27(c)) - SMALL BUSINESS CONCERN**

I hereby declare that I am

☐ the owner of the small business concern identified below;

☒ an official of the small business concern empowered to act on behalf of the concern identified below:

NAME OF CONCERN CIVIX Corporation

ADDRESS OF CONCERN 101 Federal Street, 19th Floor, Boston, Massachusetts 02110

I hereby declare that the above identified small business qualifies as a small business concern as defined in 13 CFR 121.3-18, and reproduced in 37 CFR 1.9(d), for purposes of paying reduced fees under Section 41(a) and (b) of Title 35, United States Code, in that the number of employees of the concern, including those of its affiliates, does not exceed 500 persons. For purposes of this statement, (1) the number of employees of the business concern is the average over the previous fiscal year of the concern of the persons employed on a full-time, part-time or temporary basis during each of the pay periods of the fiscal year, and (2) concerns are affiliates of each other when either, directly or indirectly, one concern controls or has the power to control the other, or a third-party or parties controls or has the power to control both.

I hereby declare that rights under contract or law have been conveyed, to and remain with the small business concern identified above with regard to the invention, entitled.

SYSTEM AND METHODS FOR REMOTELY ACCESSING A SELECTED GROUP OF ITEMS OF INTEREST FROM
A DATABASE

by inventor(s) W. Lincoln Bouve, William T. Semple and Steven W. Oxman

described in

☒ the specification filed herewith.

☐ application serial no.0 / _____ filed _____.

☐ patent no. _____, issued _____.

If the rights held by the above identified small business concern are not exclusive, each individual, concern or organization having rights to the invention listed below and no rights to the invention are held by any person, other than the inventor, who could not qualify as a small business concern under 37 CFR 1.9(d) or by any concern which would not qualify as a small business concern 37 CFR 1.9(d) or a nonprofit organization under 37 CFR 1.9(e).

* NOTE: Separate verified statements are required for each named person, concern or organization having rights to the invention averring to their status as small entities (37 CFR 1.27).
(Small Entity-Small Business [7-4]-page 1 of 2)

NAME
ADDRESS

☒ INDIVIDUAL ☒ SMALL BUSINESS CONCERN ☒ NONPROFIT ORGANIZATION

NAME
ADDRESS

☒ INDIVIDUAL ☒ SMALL BUSINESS CONCERN ☒ NONPROFIT ORGANIZATION

I acknowledge the duty to file, in this application or patent, notification of any change in status resulting in loss of entitlement to small entity status prior to paying, or at the time of paying, the earliest of the issue fee or any maintenance fee due after the date on which status as a small business entity is no longer appropriate. (37 CFR 1.28(b)).

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code, and that such willful false statements may jeopardize the validity of the application, any patent issuing thereon, or any patent to which this verified statement is directed.

NAME OF PERSON SIGNING W. Lincoln Bouve

TITLE OF PERSON OTHER THAN OWNER President

ADDRESS OF PERSON SIGNING 101 Federal Street, 19th Fl., Boston, Massachusetts 02110

SIGNATURE

Date